

Wide-Mouth Bottle (HDPE)

(#59020/59030/59060/59125/59250/59500)

1. Description

SPL's Wide-Mouth Bottles are durable and general purpose bottles for storage and handling of liquid samples, chemicals

2. Features

- ❖ Volumes range from 20 to 1,000 ml
- ❖ 250 ml bottles are applicable for centrifugation(RCF 4,000 g)

3. Product Range

Cat. No.	Material (Bottle / Cap)	Total Volume (ml)	Packaging
59020	HDPE / PP	20.00	1000
59030	HDPE / PP	30.00	1000
59060	HDPE / PP	60.00	1000
59125	HDPE / PP	125.00	500
59250	HDPE / PP	250.00	72
59500	HDPE / PP	500.00	48
59000	HDPE/ PP	1,000.00	6 / 24

4. Certification

SPL Life Sciences hereby certifies that the product identified above, inspected to be in compliance with product quality specification and requirements as documented in our ISO 9001:2015 Quality Management System (K-QA-Q031478) in Korea.

5. Product Photographs




6. Specifications & Technical Drawing


- Specifications

	Dimensions			Material (Resin)	Packaging	
	59020	59030//59033/59031	59060		59020/59030/59060	59031
Diameter	32.00 mm	34.20 mm	38.50 mm	•Body: HDPE •Cap: PP	▪ Pieces/Case: 1000	▪ Pieces/Sleeve: 12
High	53.50 mm	61.80 mm	84.80mm			▪ Pieces/Case: 72


- Technical Drawing






Cat. No. 59020



Cat. No. 59030




Cat. No. 59060




- Specifications

	Dimensions			Material (Resin)	Packaging		
	59125	59250	59500		59125	59250	59500
Diameter	50.20 mm	61.00 mm	72.00 mm	▪Body: PP ▪Cap: PP	▪ Pieces/Case: 500	▪ Pieces/Case: 72	▪ Pieces/Case: 48
High	97.30mm	130.00mm	166.30 mm				


- Technical Drawing





Cat. No. 59125



Cat. No. 59250



Cat. No. 59500




- Specifications

	Dimensions	Material (Resin)	Packaging
--	------------	---------------------	-----------

SPL-TDS-WMBHDPE

	59000		59000
Diameter	91.20 mm	•Body: HDPE •Cap: PP	• Pieces/Case: 24
High	196.00mm		

- Technical Drawing



Cat No. 59000

www.spllifesciences.com

For technical assistance, contact SPL R&D Center at:
Tel: +82-31-533-4800; Fax: +82-31-533-1430; e-mail: spl@ispl.co.kr
To place an order, contact your local distributor or
Tel: +82-31-533-4800; Fax: +82-31-533-1430; e-mail: business@ispl.co.kr